FD005A-2 - 2-Seat Electric Golf Cart · A Series



TECHNICAL SPECIFICATIONS

FD005A-2

Vehicle group	Passenger Golf Cart
Series	A
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · A Series



TECHNICAL SPECIFICATIONS

FD005A-2+2

Vehicle group	Passenger Golf Cart
Series	A
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-4 - 4-Seat Electric Golf Cart · A Series



TECHNICAL SPECIFICATIONS

FD005A-4

Vehicle group	Passenger Golf Cart
Series	A
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-4+2 - 6-Seat Electric Golf Cart (4+2 seating) · A Series



TECHNICAL SPECIFICATIONS

FD005A-4+2

Vehicle group	Passenger Golf Cart
Series	A
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3600 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-6 - 6-Seat Electric Golf Cart · A Series



TECHNICAL SPECIFICATIONS

FD005A-6

Vehicle group	Passenger Golf Cart
Series	A
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3900 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-6+2 - 8-Seat Electric Golf Cart (6+2 seating) · A Series



TECHNICAL SPECIFICATIONS

FD005A-6+2

Vehicle group	Passenger Golf Cart
Series	A
Seats	8
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	4300 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-8 - 8-Seat Electric Golf Cart · A Series



TECHNICAL SPECIFICATIONS

FD005A-8

Vehicle group	Passenger Golf Cart
Series	A
Seats	8
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	4800 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-8+2 - 10-Seat Electric Golf Cart (8+2 seating) · A Series



TECHNICAL SPECIFICATIONS

FD005A-8+2

Vehicle group	Passenger Golf Cart
Series	A
Seats	10
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	5100 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-10+2 - 12-Seat Electric Golf Cart (10+2 seating) · A Series



TECHNICAL SPECIFICATIONS

FD005A-10+2

Vehicle group	Passenger Golf Cart
Series	A
Seats	12
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	5600 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005B-2 - 2-Seat Electric Golf Cart · B Series



TECHNICAL SPECIFICATIONS

FD005B-2

Vehicle group	Passenger Golf Cart
Series	B
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005B-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · B Series



TECHNICAL SPECIFICATIONS

FD005B-2+2

Vehicle group	Passenger Golf Cart
Series	B
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005B-4 - 4-Seat Electric Golf Cart · B Series



TECHNICAL SPECIFICATIONS

FD005B-4

Vehicle group	Passenger Golf Cart
Series	B
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005B-4+2 - 6-Seat Electric Golf Cart (4+2 seating) · B Series



TECHNICAL SPECIFICATIONS

FD005B-4+2

Vehicle group	Passenger Golf Cart
Series	B
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	To be confirmed
Range per charge	Approx. 80-100 km (no load)
Dimensions	3700 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Source speed cell contains 4000 W, not a speed; verify maximum speed.

FD005B-6+2 - 8-Seat Electric Golf Cart (6+2 seating) · B Series



TECHNICAL SPECIFICATIONS

FD005B-6+2

Vehicle group	Passenger Golf Cart
Series	B
Seats	8
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	4400 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-2 - 2-Seat Electric Golf Cart · C Series



TECHNICAL SPECIFICATIONS

FD005C-2

Vehicle group	Passenger Golf Cart
Series	C
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · C Series



TECHNICAL SPECIFICATIONS

FD005C-2+2

Vehicle group	Passenger Golf Cart
Series	C
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-4 - 4-Seat Electric Golf Cart · C Series



TECHNICAL SPECIFICATIONS

FD005C-4

Vehicle group	Passenger Golf Cart
Series	C
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-4+2 - 6-Seat Electric Golf Cart (4+2 seating) · C Series



TECHNICAL SPECIFICATIONS

FD005C-4+2

Vehicle group	Passenger Golf Cart
Series	C
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3700 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-6 - 6-Seat Electric Golf Cart · C Series



TECHNICAL SPECIFICATIONS

FD005C-6

Vehicle group	Passenger Golf Cart
Series	C
Seats	6
Motor	4,000 W
Battery (as listed)	60 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3980 × 1350 × 2080 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-6+2 - 8-Seat Electric Golf Cart (6+2 seating) · C Series



TECHNICAL SPECIFICATIONS

FD005C-6+2

Vehicle group	Passenger Golf Cart
Series	C
Seats	8
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	4400 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-8+2 - Electric Golf Cart · C Series



TECHNICAL SPECIFICATIONS

FD005C-8+2

Vehicle group	Passenger Golf Cart
Series	C
Seats	To be confirmed (8 in source title, 10 in passenger field)
Motor	4,000 W
Battery (as listed)	72 V / 100 A × 6
Max. speed	30 km/h
Range per charge	To be confirmed
Dimensions	5200 × 1350 × 2080 mm
Body construction	To be confirmed
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Source title says 8 seats, but model code and passenger-count field indicate 10. Body/range cells contain motor/battery text; verify.

FD005C-1 - 2-Seat Electric Golf Cart · C-1 Series



TECHNICAL SPECIFICATIONS

FD005C-1

Vehicle group	Passenger Golf Cart
Series	C-1
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

The original catalog uses this model code for both 2-seat and 4-seat versions.

FD005C-1 - 4-Seat Electric Golf Cart · C-1 Series



TECHNICAL SPECIFICATIONS

FD005C-1

Vehicle group	Passenger Golf Cart
Series	C-1
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

The original catalog uses this model code for both 2-seat and 4-seat versions.

FD005C-1-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · C-1 Series



TECHNICAL SPECIFICATIONS

FD005C-1-2+2

Vehicle group	Passenger Golf Cart
Series	C-1
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-1-6 - 6-Seat Electric Golf Cart · C-1 Series



TECHNICAL SPECIFICATIONS

FD005C-1-6

Vehicle group	Passenger Golf Cart
Series	C-1
Seats	6
Motor	4,000 W
Battery (as listed)	60 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3980 × 1350 × 2080 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-1-4+2 - 6-Seat Electric Golf Cart (4+2 seating) · C-1 Series





TECHNICAL SPECIFICATIONS

FD005C-1-4+2

Vehicle group	Passenger Golf Cart
Series	C-1
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3700 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005C-2 - 2-Seat Electric Golf Cart · C-2 Series



TECHNICAL SPECIFICATIONS

FD005C-2

Vehicle group	Passenger Golf Cart
Series	C-2
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

C-2 styling shares this model code with C-series listings; seat count varies.

FD005C-2 - 4-Seat Electric Golf Cart · C-2 Series



TECHNICAL SPECIFICATIONS

FD005C-2

Vehicle group	Passenger Golf Cart
Series	C-2
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

C-2 styling shares this model code with C-series listings; seat count varies.

FD005C-3-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · C-3 Series



TECHNICAL SPECIFICATIONS

FD005C-3-2+2

Vehicle group	Passenger Golf Cart
Series	C-3
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005F-2 - 2-Seat Electric Golf Cart · F Series



TECHNICAL SPECIFICATIONS

FD005F-2

Vehicle group	Passenger Golf Cart
Series	F
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2550 × 1350 × 2100 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005F-2+2 - 4-Seat Electric Golf Cart (2+2 seating) · F Series



TECHNICAL SPECIFICATIONS

FD005F-2+2

Vehicle group	Passenger Golf Cart
Series	F
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	2900 × 1350 × 2100 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005F-4 - 4-Seat Electric Golf Cart · F Series



TECHNICAL SPECIFICATIONS

FD005F-4

Vehicle group	Passenger Golf Cart
Series	F
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1350 × 2100 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005F-4+2 - 6-Seat Electric Golf Cart (4+2 seating) · F Series



TECHNICAL SPECIFICATIONS

FD005F-4+2

Vehicle group	Passenger Golf Cart
Series	F
Seats	6
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3700 × 1350 × 2100 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005H-4 - 4-Seat Electric Golf Cart · H Series



TECHNICAL SPECIFICATIONS

FD005H-4

Vehicle group	Passenger Golf Cart
Series	H
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Standard seating

SOURCE NOTES

Motor output, battery capacity and color can be customized (per source).

FD005A-2GD - 2-Seat Electric Golf Cart with Cargo Bed · A Series



TECHNICAL SPECIFICATIONS

FD005A-2GD

Vehicle group	Utility Golf Cart
Series	A
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body + Steel cargo bed
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Bed

SOURCE NOTES

Cargo bed: approx. 1.5 m, custom length available (as listed).

FD005A-2GH - 2-Seat Electric Golf Cart with Insulated Cargo Box · A Series



TECHNICAL SPECIFICATIONS

FD005A-2GH

Vehicle group	Utility Golf Cart
Series	A
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body + Insulated cargo box
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Box

SOURCE NOTES

Insulated cargo box; box dimensions customizable.

FD005A-2GJ - 2-Seat Electric Golf Cart with Stretcher · A Series



TECHNICAL SPECIFICATIONS

FD005A-2GJ

Vehicle group	Medical Golf Cart
Series	A
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1200 × 1980 mm
Body construction	Steel frame + Injection-molded body + Stainless-steel stretcher
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Medical / Stretcher

SOURCE NOTES

Stainless-steel stretcher fitting.

FD005B-4JD - Electric Golf Cart with Cargo Bed · B Series



TECHNICAL SPECIFICATIONS

FD005B-4JD

Vehicle group	Utility Golf Cart
Series	B
Seats	To be confirmed (4 in source title, 6 in passenger field)
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3600 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Bed

SOURCE NOTES

Source product name says 4 seats; passenger-count field states 6. Verify before quotation.

FD005C-2GD - 2-Seat Electric Golf Cart with Cargo Bed · C Series





TECHNICAL SPECIFICATIONS

FD005C-2GD

Vehicle group	Utility Golf Cart
Series	C
Seats	2
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3100 × 1380 × 2050 mm
Body construction	Steel frame + Injection-molded body + Steel cargo bed
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Bed

SOURCE NOTES

Cargo bed: approx. 1.5 m, custom length available (as listed).

FD005C-4 - 4-Seat Electric Golf Cart with Cargo Bed · C Series



TECHNICAL SPECIFICATIONS

FD005C-4

Vehicle group	Utility Golf Cart
Series	C
Seats	4
Motor	4,000 W
Battery (as listed)	60 V / 100 A × 6
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3980 × 1350 × 2080 mm
Body construction	Steel frame + Injection-molded body
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Bed

SOURCE NOTES

Cargo-bed model: source body-material field does not describe the cargo bed. Higher-output version: 4000 W, 60 V / 100 A × 6. Cargo bed: approx. 1.5 m, custom length available (as listed).

FD005C-4 - 4-Seat Electric Golf Cart with Cargo Bed · C Series



TECHNICAL SPECIFICATIONS

FD005C-4

Vehicle group	Utility Golf Cart
Series	C
Seats	4
Motor	3,500 W
Battery (as listed)	60 V / 100 A × 5
Max. speed	30 km/h
Range per charge	Approx. 80-100 km (no load)
Dimensions	3980 × 1350 × 2080 mm
Body construction	Steel frame + Injection-molded body + Steel cargo bed
Controller	Intelligent AC controller
Charger	Intelligent energy-saving two-stage charger
Equipment	Cargo Bed

SOURCE NOTES

Cargo-bed model: alternative source configuration with 3500 W, 60 V / 100 A × 5, and steel cargo bed. Cargo bed: approx. 1.5 m, custom length available (as listed).