# A9-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

A9-1

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# BM-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

BM-1

| | |
|---|---|
| **Dimensions** | 3.8 x 1.7 x 1.7 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# DG-01 - Enclosed Electric Vehicle






## TECHNICAL SPECIFICATIONS

DG-01

| | |
|---|---|
| **Dimensions** | 4200 x 1800 x 1800* |
| **Seats** | 5 doors / 5 seats |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 195-70R14 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / Four-door central control unit / Four-door electric door locks |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# FJ-2 - Enclosed Electric Vehicle






## TECHNICAL SPECIFICATIONS

FJ-2

| | |
|---|---|
| **Dimensions** | 2480 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# G6-4 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

G6-4

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# HO-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

HO-1

| | |
|---|---|
| **Dimensions** | 3.18 x 1.55 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 155-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# LHXM-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

LHXM-1

| | |
|---|---|
| **Dimensions** | 3.8 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# MD SEV-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

MD SEV-1

| | |
|---|---|
| **Dimensions** | 3500 x 1680 x 1670* |
| **Seats** | 4 seats |
| **Motor** | 6000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / Four-door central control unit / Four-door electric door locks |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# MINI-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

MINI-1

| | |
|---|---|
| **Dimensions** | 3.1 x 1.56 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 155/70-12 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# MKL-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

MKL-1

| | |
|---|---|
| **Dimensions** | 3100 x 1550 x 1630* |
| **Seats** | 4 seats |
| **Motor** | 3600 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 155/70R12 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / NFC card door access / Central control unit / Four-door electric door locks |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# MQ-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

MQ-1

| | |
|---|---|
| **Dimensions** | 2900 x 1450 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 500-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XMY-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XMY-1

| | |
|---|---|
| **Dimensions** | 3.4 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XMY-4 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XMY-4

| | |
|---|---|
| **Dimensions** | 3.4 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# SMT-1 - Enclosed Electric Vehicle




## TECHNICAL SPECIFICATIONS

SMT-1

| | |
|---|---|
| **Dimensions** | 3.6 x 1.6 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3600 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 185/70-14 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# T9-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

T9-1

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# WL-1 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

WL-1

| | |
|---|---|
| **Dimensions** | 2800 x 1450 x 1650 mm |
| **Seats** | 4 seats |
| **Motor** | 1500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 145 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / Four-door central control unit / Four-door electric door locks |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XC-4 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XC-4

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XKY-1 - Enclosed Electric Vehicle






## TECHNICAL SPECIFICATIONS

XKY-1

| | |
|---|---|
| **Dimensions** | 3.6 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XM-U9 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XM-U9

| | |
|---|---|
| **Dimensions** | 3.8 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XML-4 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XML-4

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XMS7 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XMS7

| | |
|---|---|
| **Dimensions** | 3.6 x 1.7 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 175/70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# YD-4 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

YD-4

| | |
|---|---|
| **Dimensions** | 2680 x 1250 x 1650* |
| **Seats** | 4 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# JKC-01 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

JKC-01

| | |
|---|---|
| **Dimensions** | 3300 x 1600 x 1550 mm |
| **Seats** | 4 seats |
| **Motor** | 3000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 165-10 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / Four-door central control unit / Four-door electric door locks |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# XEV-01 - Enclosed Electric Vehicle



## TECHNICAL SPECIFICATIONS

XEV-01

| | |
|---|---|
| **Dimensions** | 2880 x 1580 x 1680 mm |
| **Seats** | 4 seats |
| **Motor** | 1500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 155-10 tubeless |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera / Rear parking sensors / Four-door central control unit / Four-door electric door locks |
| **Vehicle classification** | MICRO EV / ENCLOSED ELECTRIC VEHICLE / PASSENGER MOBILITY |

# V8-1 - Electric Utility Pickup



## TECHNICAL SPECIFICATIONS

V8-1

| | |
|---|---|
| **Dimensions** | 3.5 x 1.4 x 1.65* |
| **Seats** | 2 persons |
| **Motor** | 2000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | Front: 450-12; rear: 500-12 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 1.4 x 2.0 m |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | UTILITY EV / ELECTRIC UTILITY PICKUP / CARGO TRANSPORT |

# BQL-1 - Electric Utility Pickup



## TECHNICAL SPECIFICATIONS

BQL-1

| | |
|---|---|
| **Dimensions** | 3.3 x 1.3 x 1.65 m |
| **Seats** | 2 persons |
| **Motor** | 2000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | Front: 450-12; rear: 500-12 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 1.3 x 1.8 m |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | UTILITY EV / ELECTRIC UTILITY PICKUP / CARGO TRANSPORT |

# FJPK-1 - Electric Utility Pickup



## TECHNICAL SPECIFICATIONS

FJPK-1

| | |
|---|---|
| **Dimensions** | 3.38 x 1.28 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 1500 W AC motor |
| **Battery** | 72 V / 100 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 0.8 x 1.25 m |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | UTILITY EV / ELECTRIC UTILITY PICKUP / CARGO TRANSPORT |

# WLPK-1 - Electric Utility Pickup



## TECHNICAL SPECIFICATIONS

WLPK-1

| | |
|---|---|
| **Dimensions** | 3.78 x 1.47 x 1.65 m |
| **Seats** | 2 persons |
| **Motor** | 3000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | Front: 145-70R12; rear: 175-70-13 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 1.47 x 2.0 m |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | UTILITY EV / ELECTRIC UTILITY PICKUP / CARGO TRANSPORT |

# OSPK-1 - Electric Utility Pickup



## TECHNICAL SPECIFICATIONS

OSPK-1

| | |
|---|---|
| **Dimensions** | 3.8 x 1.48 x 1.65 m |
| **Seats** | 4 persons |
| **Motor** | 2000 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 145-70R12 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 1.2 x 1.48 m |
| **Brakes** | Four-wheel disc brakes; electronic vacuum booster |
| **Features** | Interior ambient lighting / Four-wheel disc brakes / Electronic gear shifter / Multifunction steering wheel / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | UTILITY EV / ELECTRIC UTILITY PICKUP / CARGO TRANSPORT |

# JDPK-3 - Enclosed Electric Three-Wheeler



## TECHNICAL SPECIFICATIONS

JDPK-3

| | |
|---|---|
| **Dimensions** | 2800 x 1150 x 1650* |
| **Seats** | 3 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 60 Ah (type to confirm) |
| **Max. speed** | 50 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Cargo box** | 800 x 900* |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | * Dimension unit requires confirmation. |
| **Vehicle classification** | THREE-WHEELER / ENCLOSED ELECTRIC THREE-WHEELER |

# XB3-1 - Enclosed Electric Three-Wheeler



## TECHNICAL SPECIFICATIONS

XB3-1

| | |
|---|---|
| **Dimensions** | 2480 x 1180 x 1650* |
| **Seats** | 3 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 60 Ah |
| **Max. speed** | 50 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | Battery type to confirm. * Dimension unit requires confirmation. |
| **Vehicle classification** | THREE-WHEELER / ENCLOSED ELECTRIC THREE-WHEELER |

# XB3-3 - Enclosed Electric Three-Wheeler



## TECHNICAL SPECIFICATIONS

XB3-3

| | |
|---|---|
| **Dimensions** | 2480 x 1150 x 1650* |
| **Seats** | 3 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 60 Ah |
| **Max. speed** | 50 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | Battery type to confirm. * Dimension unit requires confirmation. |
| **Vehicle classification** | THREE-WHEELER / ENCLOSED ELECTRIC THREE-WHEELER |

# XB3-5 - Enclosed Electric Three-Wheeler



## TECHNICAL SPECIFICATIONS

XB3-5

| | |
|---|---|
| **Dimensions** | 2600 x 1180 x 1650* |
| **Seats** | 3 persons |
| **Motor** | 1000 W AC motor |
| **Battery** | 60 V / 60 Ah |
| **Max. speed** | 50 km/h |
| **Tires** | 400-10 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Interior ambient lighting / Disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | Battery type to confirm. * Dimension unit requires confirmation. |
| **Vehicle classification** | THREE-WHEELER / ENCLOSED ELECTRIC THREE-WHEELER |

# DUDU-1 - Electric Passenger Three-Wheeler



## TECHNICAL SPECIFICATIONS

DUDU-1

| | |
|---|---|
| **Dimensions** | 3435 x 1375 x 1850 mm |
| **Seats** | 7 persons |
| **Motor** | 4500 W AC motor |
| **Battery** | 72 V / 160 Ah lithium |
| **Max. speed** | 60 km/h |
| **Tires** | 125/65-12 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Wheel brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | THREE-WHEELER / ELECTRIC PASSENGER THREE-WHEELER / 7 SEATS |

# GEF-4-6 - Open Electric Vehicle



## TECHNICAL SPECIFICATIONS

GEF-4-6

| | |
|---|---|
| **Dimensions** | 3750 x 1300 x 2070* |
| **Seats** | 4-6 persons |
| **Motor** | 3500 W AC motor |
| **Battery** | Not specified |
| **Max. speed** | 60 km/h |
| **Tires** | 2300/10/14 |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Brakes** | Disc brakes; details to confirm |
| **Features** | Wheel disc brakes / Electronic gear shifter / Rear-view camera |
| **Notes** | Battery type to confirm. * Dimension unit requires confirmation. |
| **Vehicle classification** | LEISURE EV / OPEN ELECTRIC VEHICLE / LEISURE MOBILITY |

# DDCC-1 - Electric Forklift




## TECHNICAL SPECIFICATIONS

DDCC-1

| | |
|---|---|
| **Lift height** | 3 m |
| **Lift capacity** | 2000 kg |
| **Travel motor** | 5000 W AC motor |
| **Hydraulic motor** | 4500 W AC motor |
| **Seats** | 1 person |
| **Max. speed** | 40 km/h |
| **Tires** | 500-8 / 650-10 |
| **Fork length** | 1220 mm |
| **Charging** | Vehicle charging |
| **Suspension** | Bridge type |
| **Vehicle weight** | 3220 kg |
| **Lifting** | 2000 kg lift capacity / 3 m lifting height / 1220 mm fork length |
| **Notes** | Model equipment and specifications to be confirmed before order. |
| **Vehicle classification** | MATERIAL HANDLING / ELECTRIC FORKLIFT / MATERIAL HANDLING |