A6-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

A6-1

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60/100 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

A9-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

A9-1

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

FJ-2 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

FJ-2

Length × width × height (as printed)	2480*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

FJPK-1 - Electric Pickup



TECHNICAL SPECIFICATIONS

FJPK-1

Length × width × height (as printed)	3.38 × 1.28 × 1.65 m
Cargo box dimensions	0.8 × 1.25 m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1500 W
Battery (V/AH; source text)	72/100 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel

G6-4 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

G6-4

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

HO-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

HO-1

Length × width × height (as printed)	3.18 × 1.55 × 1.65 m
Seats	4
Max. speed	60 km/h
Tires	155-10
Motor	3000 W
Battery (V/AH; source text)	72/160 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel

MQ-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

MQ-1

Length × width × height (as printed)	2900*1450*1650m
Seats	4
Max. speed	60 km/h
Tires	500-10
Motor	1500 W
Battery (V/AH; source text)	72/160 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

T9-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

T9-1

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

XC-4 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

XC-4

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

XEV-01 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

XEV-01

Length × width × height (as printed)	2880*1580*1680
Seats	4
Max. speed	60 km/h
Tires	155-10 Vacuum tire
Motor	1500 W
Battery (V/AH; source text)	72/160 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel; rear parking sensors; four-door central control unit; four-door electric door locks

SOURCE NOTES

The source does not state a unit for the length, width and height values.

XKY-1 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

XKY-1

Length × width × height (as printed)	3.6 × 1.7 × 1.65 m
Seats	4
Max. speed	60 km/h
Tires	175/70-13
Motor	3500 W
Battery (V/AH; source text)	72/160 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel

XML-4 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

XML-4

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.

XMS7 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

XMS7

Length × width × height (as printed)	3.6 × 1.7 × 1.65 m
Seats	4
Max. speed	60 km/h
Tires	175/70-13
Motor	3500 W
Battery (V/AH; source text)	72/160 Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brake system with electronic vacuum brake booster
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera; multifunctional steering wheel

YD-4 - Electric Passenger Car



TECHNICAL SPECIFICATIONS

YD-4

Length × width × height (as printed)	2680*1250*1650m
Seats	4
Max. speed	60 km/h
Tires	400-10
Motor	1000 W
Battery (V/AH; source text)	60V/100A Lithium battery
Charging	Vehicle charging
Suspension	Bridge type
Brakes	Four-wheel disc brakes
Additional equipment	Interior ambient lighting; electronic gear shifter; rear-view camera

SOURCE NOTES

Dimensions are transcribed exactly as printed. The source uses the unit m with these large numeric values; the intended unit has not been verified.

The source battery row is headed V/AH, but its value is printed as 60V/100A. The source notation is retained without correcting A to Ah.